

Versatility4 Basic Customisation

A guide to the basic Versatility IV customisation options that can be configured in the template index.php file with a description of each of the available options and how they affect the presentation of the template.

Here is a breakdown of the available options:

```
$default_style      = "style1";           // style1 - style10
$menu_style         = "menustyle4";       // menustyle1 - menustyle4
$header_wrapped     = "false";            // true | false
$footer_wrapped     = "false";            // true | false
$enable_ie6warn     = "false";            // true | false
$font_family        = "default";          // default | geneva | optima | helvetica | trebuchet | lucida | georgia | palatino
$enable_fontspans   = "true";             // true | false
$template_width     = "958";              // width in px
$leftcolumn_width   = "220";              // width in px
$rightcolumn_width  = "220";              // width in px
$leftinset_width    = "185";              // width in px
$rightinset_width   = "185";              // width in px
$splitmenu_col      = "rightcol";          // leftcol | rightcol
$menu_name          = "mainmenu";          // mainmenu by default, can be any Joomla menu name
$menu_type          = "splitmenu";         // moomenu | suckerfish | splitmenu | module | none
$default_font       = "default";          // smaller | default | larger
$show_moduleslider  = "true";             // true | false
$moduleslider_location = "bottom";         // mid-top | mid-bottom | left | right | bottom
$moduleslider_height = "220";             // height in px
$leftbanner_width   = "170";              // width in px
$rightbanner_width  = "170";              // width in px
$h3_style           = "icon1";            // icon1 - icon3 | noicon - select module hilite icon options
$show_pathway       = "false";            // true | false
$show_logo          = "true";             // true | false
$show_textsize      = "true";             // true | false
$show_bottomlogo    = "true";            // true | false
$js_compatibility   = "false";            // true | false - enable or disable js compatibility mode for better compatibility with
non mootools based js libraries. Warning, setting to "true" will cause several js template features to not work properly

// module slider configuration

$max_mods_per_row   = 5;                  // maximum number of modules per row (adjust the height if this wraps)
$modules_list       = array(array("title"=>"Tab One", "module"=>"user11"),
                                array("title"=>"Tab Two", "module"=>"user12"),
                                array("title"=>"Tab Three", "module"=>"user13"),
                                array("title"=>"Tab Four", "module"=>"user14"),
                                array("title"=>"Tab Five", "module"=>"user15"),
                                array("title"=>"Tab Six", "module"=>"user16"),
                                array("title"=>"Tab Seven", "module"=>"user17"),
                                array("title"=>"Tab Eight", "module"=>"user18"),
                                array("title"=>"Tab Nine", "module"=>"user19"),
                                array("title"=>"Tab Ten", "module"=>"user20"));
```

Default Style

The template is bundled with 10 pre-made style variants that be be easily and quickly chosen from the template configuration.

```
$default_style = "style1";           // [style1 - style10]
```

Menu Style

The template is bundled with 4 pre-made menu style variants that be be easily and quickly chosen from the template configuration.

```
$menu_style = "menustyle4"; // menustyle1 - menustyle4
```

Header Wrap

This option allows to choose whether the header bar extends across the whole page or is cropped to the size of the wrapper.

```
$header_wrapped = "false";           // true | false
```

Footer Wrap

This option allows to choose whether the Footer bar extends across the whole page or is cropped to the size of the wrapper.

```
$footer_wrapped = "false"; // true | false
```

IE6 Warning

Warn your visitors using Internet Explorer 6 to upgrade to a more secure version with this toggle. This option activates a javascript based dropdown in IE6 at the top of the template where a description of why IE6 is a redundant browser is visible. The warning will only appear once as its stored via a cookie.

```
$enable_ie6warn = "true"; // true | false
```

Font Family

You can choose which font you would like to use for your content item, these are all web standard fonts.

```
$font_family= "default"; // genevaloptimalhelvetica|trebuchet|lucida|georgia|palatino
```

Font Spans

Choose whether module titles are multi-coloured by enabling Font Spans.

```
$enable_fontspans = "true"; // true | false
```

Template Width

This template configuration option allows you to easily change the width of the template itself, simply change the number to another pixel value.

```
$template_width = "958"; // width in px
```

LeftColumn Width

This template configuration option allows you to easily change the width of the left column, simply change the number to another pixel value.

```
$leftcolumn_width = "220"; // width in px
```

RightColumn Width

This template configuration option allows you to easily change the width of the right column, simply change the number to another pixel value.

```
$rightcolumn_width = "220"; // width in px
```

Left Inset Width

This template configuration option allows you to easily change the width of the left inset position, simply change the number to another pixel value.

```
$leftinset_width = "185"; // width in px
```

Right Inset Width

This template configuration option allows you to easily change the width of the right inset position, simply change the number to another pixel value.

```
$rightinset_width = "185"; // width in px
```

Splitmenu Location

One of the template's menu options is splitmenu which displays the first and second level items in the horizontal menu bar and the 3rd in a side column module. This option allows you to choose between the left column or the right column.

```
$splitmenu_col = "rightcol"; // leftcol | rightcol
```

Menu Name

The following parameter controls which Joomla menu is loaded for the horizontal navigation bar, by default this is mainmenu but you can change it to whatever menu such as othermenu.

`$menu_name = "mainmenu"; // mainmenu by default`

Menu Type

Versatility IV is bundled with 4 menu options, 3 of which are integrated menu approaches. These are splitmenu, moomenu, suckerfish and module. Splitmenu displays the 1st level menu items in the horizontal bar and the 2nd in the side column; moomenu and suckerfish display the menu items in dropdown lists with moomenu having a javascript powered approach; and the module options turns the menu bar into the toolbar module position so you can insert modules into the area (this will disable the menu however). You can also select none so the entire horizontal menu does not appear.

`$menu_type = "moomenu"; // moomenu | suckerfish | splitmenu | module | none`

Default Font

This option allows you to choose what the font size will be, you have 3 options to choose from, these are smaller, default and larger.

`$default_font = "default"; // smaller | default | larger`

Show Module Slider

This option allows you to enable or disable the Module slider that operates on the User11-User20 module positions.

`$show_moduleslider = "true"; // true | false`

Module Slider Location

Select which area of the template you wish to have the RokSlide (Module Slider) feature located.

`$moduleslider_location = "bottom"; // mid-top | mid-bottom | left | right | bottom`

Module Slider Height

Set the height value, in pixels, that the Module Slider will conform to.

`$moduleslider_height = "220"; // height in px`

Left Banner Width

This template configuration option allows you to easily change the width of the left banner position, simply change the number to another pixel value.

`$leftbanner_width = "175"; // width in px`

Right Banner Width

This template configuration option allows you to easily change the width of the right banner position, simply change the number to another pixel value.

`$rightbanner_width = "175"; // width in px`

Module Header Icons

Select which icon set you wish to load for the module hilite module headers, if any.

`$h3_style = "icon1"; // icon1 - icon3 | noicon`

Show Pathway

The pathway or breadcrumbs function can be disabled with this setting.

`$show_pathway = "false"; // true | false`

Show Logo

Versatility IV allows you to turn the logo into a module position (icon) to allow for more flexible control.

`$show_logo = "true"; // true | false`

Show Bottomlogo

This setting allows you to enable/disable the RocketTheme logo

`$show_bottomlogo = "true"; // true | false`

Show Date

This setting allows you to disable the date in the upper left of the template.

```
$show_date = "true";    // true | false
```

Show Text Sizer

This setting allows you to disable the text size controls in the upper right of the template.

```
$show_textSizer = "true";    // true | false
```

Mootools / Javascript Compatibility

Enable or disable js compatibility mode for better compatibility with non mootools based js libraries. Warning, setting to "true" will cause several js template features to not work properly

```
$js_compatibility    = "false";    // true | false
```

Module Count

The module configuration variable below controls how many consecutive modules you can have for a position.

```
$max_mods_per_row = 5; // max number of modules per row (if wraps, adjust height)
```

Module List

With the setting illustrated below, you can control the aspects of the integrated rokslide feature to a great extent. You can control the tab title and also the module position which appears in each of the tabs.

In the code snippet, we have 5 lines, each line controls a single tab. Each line is segregated into 2 distinct parts. These are "title"=>"Tab Title", which controls the Tab Title. The second part is "module"=>"Module Position"),

```
$modules_list = array(array("title"=>"Tab One", "module"=>"user11"),
    array("title"=>"Tab Two", "module"=>"user12"),
    array("title"=>"Tab Three", "module"=>"user13"),
    array("title"=>"Tab Four", "module"=>"user14"),
    array("title"=>"Tab Five", "module"=>"user15")
    array("title"=>"Tab Six", "module"=>"user16")
    array("title"=>"Tab Seven", "module"=>"user17")
    array("title"=>"Tab Eight", "module"=>"user18")
    array("title"=>"Tab Nine", "module"=>"user19")
    array("title"=>"Tab Ten", "module"=>"user20"));
```